


GENERAL NOTES:

- THIS STREET SECTION WILL BE REQUIRED FOR SUBDIVISIONS WITH 5 LOTS OR LESS.
- 2. ANY EASEMENT WIDTH LESS THAN 40' WILL REQUIRE A VARIANCE REQUEST AND AN ENGINEERED CROSS SECTION W/ROAD DETAIL CONFIRMING ADETQUATE DRAINAGE.
- 3. DRAINAGE REQUIREMENTS AND OTHER APPURTENANCE LOCATIONS SHALL BE SHOWN ON THE PROJECT CONSTRUCTION PLANS.
- 4. ANY VARIATIONS OR DEVIATIONS AND ALL DESIGN COMPONENTS SHALL BE APPROVED BY THE COUNTY ENGINEER.
- 5. SPEED LIMIT NOT TO EXCEED 25 MPH.

CONSTRUCTION NOTES:

- A. COMPACTED BASE COURSE
- B. COMPACTED SUBGRADE
- C. PROJECT DESIGN SWALE (3:1 OR AS REQUIRED BY DESIGN) & APPROVED ENERGY DISSIPATORS AS REQUIRED BY DRAINAGE DESIGN



ROADWAY SECTION

EASEMENT WIDTH	PAVEMENT WIDTH WITH 2' SHOULDER	CROWN
40'	24'	5"

	COUNTY OF BERNALILLO	
REVISIONS	PRIVATE WAY EASEMENTS	
15-FEB-16	ROADWAY SERVICES 5 LOTS OR LESS	
	GRAVELED	
	DWG. 201010 INT	